

---

Subject: Error in Installing on MAC OSX  
Posted by [Michael Kunkel](#) on Wed, 25 Jul 2012 23:52:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

I am attempting to install pluto++ on a Mac OSX Lion.

For the plug PSaidLowEnergy, I get the following error.

```
plugins/scatter_mod/PSaidLowEnergy.cc:201: error: call of overloaded 'pow(long double, double&)' is ambiguous
/Users/Mike/root/include/TMath.h:390: note: candidates are: double pow(double, double)
```

---

---

Subject: Re: Error in Installing on MAC OSX  
Posted by [Ingo Fröhlich](#) on Wed, 01 Aug 2012 11:45:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I have no MAC to test this error, but maybe you could try to change all "pow" functions where the cast to "long double" is used to "powl"

---

---

Subject: Re: Error in Installing on MAC OSX  
Posted by [Michael Kunkel](#) on Mon, 06 Aug 2012 16:30:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I had tried that, and it worked.  
PLUTO built without error codes, but will not run.  
Whenever I attempt to execute a macro I get errors.

I know you have no Mac to test on. But here is a simple macro that gets denied.

```
#include "TH1.h"
#include "TH2.h"
#include "TH3.h"
#include "TChain.h"
#include "TCanvas.h"
#include "TF1.h"
#include "/Users/Mike/Pluto/INSTALL_DIR/loadPluto.h"
#include "/Users/Mike/Pluto/INSTALL_DIR/include/pluto/PParticle.h"
#include "/Users/Mike/Pluto/INSTALL_DIR/include/pluto/PReaction.h"
#include "/Users/Mike/Pluto/INSTALL_DIR/include/pluto/PBeamSmearing.h"

void SIMULATE_Eta_Dalitz(){

    gROOT->Reset();

    PReaction my_reaction("_P1 = 2.2","g","p","p eta [dilepton [e+ e-] g]","eta_",1,0,0,0);
```

```
my_reaction.Loop(25000);  
}
```

Error: PReaction() declared but not defined SIMULATE\_Eta\_Dalitz.C:16:  
Error: ~PReaction() declared but not defined SIMULATE\_Eta\_Dalitz.C:16:  
\*\*\* Interpreter error recovered \*\*\*

---

---

Subject: Re: Error in Installing on MAC OSX  
Posted by [Ingo Fröhlich](#) on Mon, 06 Aug 2012 16:38:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I think its a linking problem

Could you try to do "make Pluto"? It should do a dummy linking to an executable

---

---

Subject: Re: Error in Installing on MAC OSX  
Posted by [Michael Kunkel](#) on Mon, 06 Aug 2012 18:01:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

When I "make Pluto"  
I get message that libraries are done  
ie:  
Mike-Kunkels-MacBook:pluto\_v5.40 Mike\$ make  
Libraries done.

I have an libPluto.a libPluto.dylib libPluto.so  
In my rootlogon.C I link to the libPluto.so

Is there something else I am missing?

---

---

Subject: Re: Error in Installing on MAC OSX  
Posted by [Ingo Fröhlich](#) on Mon, 06 Aug 2012 21:40:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

So not a linking error...

Does this error happen with all macros?

BTW what is libPluto.dylib?

---

---

Subject: Re: Error in Installing on MAC OSX

Posted by [Michael Kunkel](#) on Mon, 06 Aug 2012 22:31:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Yes this error occurs with all macros that I use for PLUTO.

libPluto.dylib was a dynamic link created by the .sh script used to build PLUTO.

The makefile that comes with PLUTO does not work for Mac OS X.

So what I noticed was that there was a path for a PLUTO installation in the HADES simulation installation package. I modified that script to install PLUTO on Mac OS X.

PLUTO installed correctly without errors, so I am assuming the script worked.

I am attaching the scripts. All that needs to be run is configure.sh

---

### File Attachments

1) [PLUTO\\_INSTALL.tar](#), downloaded 453 times

---

---

**Subject: Re: Error in Installing on MAC OSX**

Posted by [Michael Kunkel](#) on Tue, 21 Aug 2012 06:37:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Greetings

I have solved this small hiccup.

I am attaching a .tar file which will install PLUTO++ >= 5.4 on any UNIX machine.

Was tested on Ubuntu, and Mac 10.7.4 Lion

Instructions:

Untar PLUTO\_UNIX\_Install.tar in the directory where pluto\_v5.40.x

is located. Change directory to PLUTO\_INSTALL\_scripts

```
cd PLUTO_INSTALL_scripts
```

```
source configure.sh
```

By default PLUTO will be installed in the pluto\_v5.40.x directory,  
however there is an option to install in in any directory.

I hope this helps anyone trying to use PLUTO on a Mac.

Michael

---

### File Attachments

1) [PLUTO\\_UNIX\\_Install.tar](#), downloaded 624 times

---