

---

Subject: [FIXED] RhoCandidate - probability connection ?  
Posted by [Ronald Kunne](#) on Fri, 23 Aug 2013 13:05:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi there !

Is there a way to go from the RhoCandidates in a RhoCandList to the corresponding PndPidProbability, to have access to the probability information stored there ?

Typically I want to do something like:

```
RhoCandList eplus;
```

```
while (theAnalysis->GetEvent() && i++<nevts) {  
  
    theAnalysis->FillList(eplus,"ElectronAllPlus");  
  
    for (j=0;j<eplus.GetLength();j++) {  
        Int_t pointer = eplus[j]->Pointer(); // hypothetical connection  
        PndPidProbability *prob = (PndPidProbability*)emc_array->At(pointer);  
        Float_t proba = prob->GetElectronPidProb();  
    }  
}
```

Thanks in advance,  
Ronald Kunne

---

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [Stefano Spataro](#) on Fri, 23 Aug 2013 13:14:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The candidate should have the following data members:

```
virtual Float_t      GetElectronPidLH() const=0;  
virtual Float_t      GetMuonPidLH() const=0;  
virtual Float_t      GetPionPidLH() const=0;  
virtual Float_t      GetKaonPidLH() const=0;  
virtual Float_t      GetProtonPidLH() const=0;
```

In theory they should be filled by the FillList. I don't know if this works.

---

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [Klaus Götzen](#) on Fri, 23 Aug 2013 14:07:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Ronald,

after the PID values have been stored in the RhoCandidate by the PndAnaPidCombiner (or PndAnalysis::FillList, which does this internally), you should be able to access the Pid Probs by

```
RhoCandList list;
...
list[i]->GetPidInfo(0); // Electron Prob
list[i]->GetPidInfo(1); // Muon Prob
list[i]->GetPidInfo(2); // Pion Prob
list[i]->GetPidInfo(3); // Kaon Prob
list[i]->GetPidInfo(4); // Proton Prob
```

Best,  
Klaus

---

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [Ronald Kunne](#) on Fri, 23 Aug 2013 14:42:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Quoting Klaus:  
RhoCandList list;  
...  
list[i]->GetPidInfo(0); // Electron Prob  
list[i]->GetPidInfo(1); // Muon Prob  
list[i]->GetPidInfo(2); // Pion Prob  
list[i]->GetPidInfo(3); // Kaon Prob  
list[i]->GetPidInfo(4); // Proton Prob

Thank you. But.... I had actually found these and discarded them before I asked the question, as it gives back exact 0's and 1's.

With the code

```
for (j=0;j<eplus.GetLength();j++) {
  cout << "probs:" ;
  for (k=0;k<5;k++) {
    cout << " " << eplus[j]->GetPidInfo(k);
  }
  cout << endl;
}
```

the results is  
probs: 0 0 1 0 0 for pi+pi- events  
probs: 1 0 0 0 0 for e+e- events

---

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [StefanoSpataro](#) on Fri, 23 Aug 2013 14:44:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Using EmcBayes?

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [Ronald Kunne](#) on Fri, 23 Aug 2013 15:02:23 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Stefano Spataro wrote on Fri, 23 August 2013 16:44Using EmcBayes?

Right. That's the solution.  
Now I understand 2.2.3 in the Rho tutorial !

Thanks for helping me out on that one.

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [StefanoSpataro](#) on Fri, 23 Aug 2013 15:08:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I supposed you were using the ideal association, and there you have only probability 0 or 1.

---

Subject: Re: RhoCandidate - probability connection ?  
Posted by [Ronald Kunne](#) on Fri, 23 Aug 2013 15:12:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Stefano Spataro wrote on Fri, 23 August 2013 17:08I supposed you were using the ideal association, and there you have only probability 0 or 1.

You suppose correct

---