
Subject: [FIXED] error occuring on using different event generator

Posted by [ForamShah](#) on Thu, 27 Mar 2014 10:28:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

hi,

i have used different eventgenerators (dpm,evtgen,boxgenerator) by making changes in simulation file when i run it for 10 events it runs well but not working for 1000 events i get the following error,

```
[ERROR ] init() ANAPidSelections not initialized
```

```
Error in <FairRuntimeDb::initContainers(>: Error occurred during initialization
```

```
[INFO ] The number of entries in chain is 1000
```

```
[INFO ] The number of entries in chain is 1000
```

```
Error: Symbol homegam_nopid is not defined in current scope tut_ana.C:138:
```

```
Error: Failed to evaluate homegam_nopid->Fill(jpsi[j].M())
```

```
*** Interpreter error recovered ***
```

how to solve this error??

what r the changes that i can expect by using different eventgenerators??

Subject: Re: error occuring on using different event generator

Posted by [StefanoSpataro](#) on Thu, 27 Mar 2014 10:31:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Error: Symbol homegam_nopid is not defined in current scope tut_ana.C:138:

You need to define the histogram homegam_nopid, in your analysis macro. It is completely uncorrelated to the event generators.

Subject: Re: error occuring on using different event generator

Posted by [ForamShah](#) on Thu, 27 Mar 2014 10:37:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

if we use different event generators what difference will it make??????

Subject: Re: error occuring on using different event generator

Posted by [Elisabetta Prencipe \(2\)](#) on Thu, 27 Mar 2014 10:38:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Foram,

you get an error in your analysis macro. There is an histogram not defined at the beginning, as well as I understand from your error message.

Concerning the story of the number of events to run: did you change it in your sim macro? You can pass this information even by external.

Something like:
.x mysim.C(1000)

You can run your analysis macro maximum on the number of simulated events you build, of course.

For your signal event, please use EvtGen; for simulating background pp to qqbar: you can use DPM Mc generator

Elisabetta

Subject: Re: error occuring on using different event generator
Posted by [Stefano Spataro](#) on Thu, 27 Mar 2014 10:39:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

For one generator you enter inside some condition and you fill the not defined histogram. For other generators the condition is not fulfilled and it does not fill the histogram, then it does not crash.
