

---

Subject: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Fri, 05 Feb 2016 16:59:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear all,

I'm experiencing trouble with the MC propagation in the timebased simulation. Already at the digitisation stage, the link propagation appears to be broken. The digitisation macro returns "-E- FairMultiLinkedData\_Interface::AddInterfaceData EntryNr == (-1/-1/-1/-1/1)" for each hit. SetUseFairLinks is set to true in all macros. As far as I can grasp together from the code, this is the way the links are propagated:

PndEmcHitProducer: MCTrack->EmcHit:

```
PndEmcPoint* point = (PndEmcPoint*) fPointArray->At(iPoint);
DetId = point->GetDetectorID();
```

```
if (point->GetEntering()){
  fTrackEntering[DetId].AddLinks(point->GetLinksWithType(FairRootManager::Instance()->GetBranchId("MCTrack")));
}
if (point->GetExiting()){
  fTrackExiting[DetId].AddLinks(point->GetLinksWithType(FairRootManager::Instance()->GetBranchId("MCTrack")));
}
```

PndEmcFWEndcapTimebasedWaveforms: EmcHit->EmcWaveform:

```
FairLink linkToHit(-1, ioman->GetEntryNr(), "EmcHit", iHit, 1.0);
wfData.AddHit(linkToHit, ioman->GetEventTime() + theHit->GetTime()*1.0e9,
theHit->GetEnergy());
```

PndEmcFWEndcapDigi: EmcWaveform->EmcDigi:

```
myDigi->AddLink(FairLink("EmcWaveform", iWaveform));
```

PndEmcMakeClusterOnline: EmcDigi->EmcCluster:

```
cluster->addDigi(fDigiArray,myDigi);
cluster->AddLink(FairLink("EmcDigi", myDigi));
```

Can anyone see where it goes wrong, and maybe even if there is a simple fix for this? It would be preferable to have the ability to use the MC information.

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Sat, 06 Feb 2016 01:41:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Which FairSoft/FairRoot/PandaRoot versions are you using?

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Mon, 08 Feb 2016 09:23:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

For FairSoft and FairRoot I have the versions from the mar15 release. PandaRoot is at revision 28807

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Mon, 08 Feb 2016 10:21:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

for FairRoot you should use v15.11, where several fixes n FairLink were included. Can you please try and let us know?

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Mon, 08 Feb 2016 12:57:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Okay... How do you update FairROOT? I can't seem to find instructions for that anywhere. Only on how to install it. Is there a GIT equivalent of "svn update"?

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Mon, 08 Feb 2016 14:18:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I think it is better to have a separate installation in different folders.

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Thu, 11 Feb 2016 13:21:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

All right, after some wrestling, I installed the new FairRoot release, this time with ROOT 5, as ROOT 6 wasn't really working out for me. However, I still get the same warning from the timebased digitisation macro:

```
-E- FairMultiLinkedData_Interface::AddInterfaceData EntryNr == (-1/-1/-1/-1/1)
```

I first reran the simulation macro as well to be sure everything was done using the new FairRoot.

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Thu, 11 Feb 2016 15:08:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

In theory with FairSoft mar15 there is no root6. Are you sure you are using the correct stuff?

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Thu, 11 Feb 2016 15:29:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm pretty sure I have the new FairRoot, as some functions have been changed (SetInputFile has moved to FairFileSource, SetEventMeanTime to FairSource [I think]).

I now see why I was offered the choice for ROOT 6 (which also started my other thread on the compilation errors); I was using the instructions from the Step-by-step installation on <https://github.com/FairRootGroup/FairRoot>, which tells you to use

```
git clone -b dev https://github.com/FairRootGroup/FairSoft.git,
```

which I guess downloads a development version of FairSoft. But in my recent install, I followed the instructions on the Wiki.

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Thu, 11 Feb 2016 15:33:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Please use the pandaroot wiki installation, I am not able to follow random versions. In particular of the FairSoft dev.

<https://panda-wiki.gsi.de/foswiki/bin/view/Computing/PandaRootInstallGit>

How to reproduce your problem? Please send the macro.

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Thu, 11 Feb 2016 15:45:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm using the attached macros for the simulation and digitisation, which are based on sim\_complete.C and digi\_complete.C in /macro/run/  
Maybe you also need the par file.

### File Attachments

---

- 1) [emc\\_newsim.C](#), downloaded 306 times
  - 2) [emc\\_timebasedDigi.C](#), downloaded 291 times
  - 3) [emc.par](#), downloaded 286 times
-

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Thu, 11 Feb 2016 17:04:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is what I get with 1000 events:

Toggle Spoiler

INFO ] Branch: EmcMultiWaveform not found in Tree.

fEmcDigiPositionDepthPWO: 6.2

fEmcDigiPositionDepthShashlyk: 20.9

-I- PndEmcFWEndcapDigi: Intialization successfull

[INFO ] FairRunAna::Run() After checking, the run will run from event 0 to 1000.

-E- Timestamp -20 below lower bound 0

EntryNr of Data: (0/121/7/0/1) TimeStamp: -20 +/- -1

(0/121/7/0/1) -> [(-1/2/2/44/2) ]-E- Timestamp -157.5 below lower bound 0

EntryNr of Data: (0/121/7/4/1) TimeStamp: -157.5 +/- -1

(0/121/7/4/1) -> [(-1/4/2/3/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/121/7/7/1) TimeStamp: -32.5 +/- -1

(0/121/7/7/1) -> [(-1/5/2/52/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/121/7/9/1) TimeStamp: -32.5 +/- -1

(0/121/7/9/1) -> [(-1/7/2/18/2) ]-E- Timestamp -157.5 below lower bound 0

EntryNr of Data: (0/121/7/10/1) TimeStamp: -157.5 +/- -1

(0/121/7/10/1) -> [(-1/7/2/31/2) ]-E- Timestamp -45 below lower bound 0

EntryNr of Data: (0/122/7/0/1) TimeStamp: -45 +/- -1

(0/122/7/0/1) -> [(-1/0/2/25/2) ]-E- Timestamp -107.5 below lower bound 0

EntryNr of Data: (0/122/7/2/1) TimeStamp: -107.5 +/- -1

(0/122/7/2/1) -> [(-1/2/2/19/2) ]-E- Timestamp -7.5 below lower bound 0

EntryNr of Data: (0/122/7/3/1) TimeStamp: -7.5 +/- -1

(0/122/7/3/1) -> [(-1/6/2/30/2) ]-E- Timestamp -82.5 below lower bound 0

EntryNr of Data: (0/125/7/4/1) TimeStamp: -82.5 +/- -1

(0/125/7/4/1) -> [(-1/3/2/60/2) ]-E- Timestamp -182.5 below lower bound 0

EntryNr of Data: (0/125/7/5/1) TimeStamp: -182.5 +/- -1

(0/125/7/5/1) -> [(-1/5/2/62/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/125/7/10/1) TimeStamp: -32.5 +/- -1

(0/125/7/10/1) -> [(-1/10/2/60/2) ]-E- Timestamp -7.5 below lower bound 0

EntryNr of Data: (0/127/7/6/1) TimeStamp: -7.5 +/- -1

(0/127/7/6/1) -> [(-1/4/2/45/2) ]-E- Timestamp -145 below lower bound 0

EntryNr of Data: (0/127/7/7/1) TimeStamp: -145 +/- -1

(0/127/7/7/1) -> [(-1/5/2/51/2) ]-E- Timestamp -132.5 below lower bound 0

EntryNr of Data: (0/127/7/11/1) TimeStamp: -132.5 +/- -1

(0/127/7/11/1) -> [(-1/7/2/55/2) ]-E- Timestamp -120 below lower bound 0

EntryNr of Data: (0/127/7/12/1) TimeStamp: -120 +/- -1

(0/127/7/12/1) -> [(-1/8/2/4/2) ]-E- Timestamp -70 below lower bound 0

EntryNr of Data: (0/127/7/16/1) TimeStamp: -70 +/- -1

(0/127/7/16/1) -> [(-1/9/2/45/2) ]-E- Timestamp -82.5 below lower bound 0

EntryNr of Data: (0/127/7/21/1) TimeStamp: -82.5 +/- -1

(0/127/7/21/1) -> [(-1/13/2/1/2) ]-E- Timestamp -145 below lower bound 0

EntryNr of Data: (0/127/7/23/1) TimeStamp: -145 +/- -1

(0/127/7/23/1) -> [(-1/13/2/12/2) ]-E- Timestamp -120 below lower bound 0

EntryNr of Data: (0/128/7/0/1) TimeStamp: -120 +/- -1

(0/128/7/0/1) -> [(-1/1/2/4/2) ]-E- Timestamp -170 below lower bound 0

EntryNr of Data: (0/128/7/2/1) TimeStamp: -170 +/- -1

(0/128/7/2/1) -> [(-1/1/2/51/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/128/7/12/1) TimeStamp: -57.5 +/- -1  
(0/128/7/12/1) -> [(-1/14/2/21/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/135/7/2/1) TimeStamp: -157.5 +/- -1  
(0/135/7/2/1) -> [(-1/6/2/59/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/135/7/4/1) TimeStamp: -32.5 +/- -1  
(0/135/7/4/1) -> [(-1/7/2/54/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/135/7/8/1) TimeStamp: -57.5 +/- -1  
(0/135/7/8/1) -> [(-1/7/2/59/2)]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/135/7/11/1) TimeStamp: -82.5 +/- -1  
(0/135/7/11/1) -> [(-1/8/2/30/2)]-E- Timestamp -120 below lower bound 0  
EntryNr of Data: (0/135/7/12/1) TimeStamp: -120 +/- -1  
(0/135/7/12/1) -> [(-1/9/2/19/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/135/7/13/1) TimeStamp: -45 +/- -1  
(0/135/7/13/1) -> [(-1/9/2/19/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/136/7/0/1) TimeStamp: -7.5 +/- -1  
(0/136/7/0/1) -> [(-1/1/2/7/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/136/7/1/1) TimeStamp: -45 +/- -1  
(0/136/7/1/1) -> [(-1/2/2/41/2)]-E- Timestamp -70 below lower bound 0  
EntryNr of Data: (0/136/7/7/1) TimeStamp: -70 +/- -1  
(0/136/7/7/1) -> [(-1/4/2/38/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/136/7/9/1) TimeStamp: -95 +/- -1  
(0/136/7/9/1) -> [(-1/4/2/60/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/136/7/11/1) TimeStamp: -32.5 +/- -1  
(0/136/7/11/1) -> [(-1/4/2/66/2)]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/136/7/14/1) TimeStamp: -20 +/- -1  
(0/136/7/14/1) -> [(-1/5/2/0/2)]-E- Timestamp -145 below lower bound 0  
EntryNr of Data: (0/136/7/17/1) TimeStamp: -145 +/- -1  
(0/136/7/17/1) -> [(-1/11/2/47/2)]-E- Timestamp -70 below lower bound 0  
EntryNr of Data: (0/142/7/0/1) TimeStamp: -70 +/- -1  
(0/142/7/0/1) -> [(-1/3/2/4/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/142/7/2/1) TimeStamp: -57.5 +/- -1  
(0/142/7/2/1) -> [(-1/3/2/59/2)]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/142/7/4/1) TimeStamp: -20 +/- -1  
(0/142/7/4/1) -> [(-1/4/2/58/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/142/7/7/1) TimeStamp: -32.5 +/- -1  
(0/142/7/7/1) -> [(-1/7/2/30/2)]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/142/7/15/1) TimeStamp: -20 +/- -1  
(0/142/7/15/1) -> [(-1/10/2/62/2)]-E- Timestamp -70 below lower bound 0  
EntryNr of Data: (0/142/7/17/1) TimeStamp: -70 +/- -1  
(0/142/7/17/1) -> [(-1/13/2/33/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/142/7/23/1) TimeStamp: -95 +/- -1  
(0/142/7/23/1) -> [(-1/15/2/12/2)]-E- Timestamp -120 below lower bound 0  
EntryNr of Data: (0/143/7/5/1) TimeStamp: -120 +/- -1  
(0/143/7/5/1) -> [(-1/7/2/4/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/143/7/12/1) TimeStamp: -32.5 +/- -1  
(0/143/7/12/1) -> [(-1/13/2/52/2)]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/143/7/16/1) TimeStamp: -82.5 +/- -1  
(0/143/7/16/1) -> [(-1/23/2/65/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/146/7/3/1) TimeStamp: -95 +/- -1  
(0/146/7/3/1) -> [(-1/3/2/27/2)]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/146/7/4/1) TimeStamp: -182.5 +/- -1



(0/146/7/4/1) -> [(-1/3/2/28/2)]-E- Timestamp -170 below lower bound 0  
EntryNr of Data: (0/146/7/12/1) TimeStamp: -170 +/- -1  
(0/146/7/12/1) -> [(-1/7/2/49/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/146/7/19/1) TimeStamp: -7.5 +/- -1  
(0/146/7/19/1) -> [(-1/21/2/23/2)]-E- Timestamp -195 below lower bound 0  
EntryNr of Data: (0/152/7/1/1) TimeStamp: -195 +/- -1  
(0/152/7/1/1) -> [(-1/2/2/49/2)]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/152/7/5/1) TimeStamp: -82.5 +/- -1  
(0/152/7/5/1) -> [(-1/3/2/55/2)]-E- Timestamp -145 below lower bound 0  
EntryNr of Data: (0/152/7/10/1) TimeStamp: -145 +/- -1  
(0/152/7/10/1) -> [(-1/5/2/28/2)]-E- Timestamp -170 below lower bound 0  
EntryNr of Data: (0/152/7/13/1) TimeStamp: -170 +/- -1  
(0/152/7/13/1) -> [(-1/7/2/3/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/152/7/21/1) TimeStamp: -32.5 +/- -1  
(0/152/7/21/1) -> [(-1/8/2/38/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/155/7/0/1) TimeStamp: -157.5 +/- -1  
(0/155/7/0/1) -> [(-1/0/2/56/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/155/7/20/1) TimeStamp: -45 +/- -1  
(0/155/7/20/1) -> [(-1/12/2/47/2)]-E- Timestamp -120 below lower bound 0  
EntryNr of Data: (0/155/7/25/1) TimeStamp: -120 +/- -1  
(0/155/7/25/1) -> [(-1/16/2/0/2)]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/159/7/1/1) TimeStamp: -182.5 +/- -1  
(0/159/7/1/1) -> [(-1/4/2/35/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/159/7/4/1) TimeStamp: -95 +/- -1  
(0/159/7/4/1) -> [(-1/6/2/1/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/159/7/7/1) TimeStamp: -57.5 +/- -1  
(0/159/7/7/1) -> [(-1/6/2/23/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/159/7/13/1) TimeStamp: -157.5 +/- -1  
(0/159/7/13/1) -> [(-1/7/2/16/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/159/7/16/1) TimeStamp: -157.5 +/- -1  
(0/159/7/16/1) -> [(-1/9/2/8/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/160/7/5/1) TimeStamp: -57.5 +/- -1  
(0/160/7/5/1) -> [(-1/4/2/19/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/160/7/12/1) TimeStamp: -32.5 +/- -1  
(0/160/7/12/1) -> [(-1/8/2/41/2)]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/160/7/21/1) TimeStamp: -20 +/- -1  
(0/160/7/21/1) -> [(-1/12/2/24/2)]-E- Timestamp -132.5 below lower bound 0  
EntryNr of Data: (0/160/7/22/1) TimeStamp: -132.5 +/- -1  
(0/160/7/22/1) -> [(-1/14/2/15/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/160/7/24/1) TimeStamp: -95 +/- -1  
(0/160/7/24/1) -> [(-1/16/2/10/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/160/7/26/1) TimeStamp: -7.5 +/- -1  
(0/160/7/26/1) -> [(-1/17/2/0/2)]-E- Timestamp -70 below lower bound 0  
EntryNr of Data: (0/161/7/26/1) TimeStamp: -70 +/- -1  
(0/161/7/26/1) -> [(-1/16/2/25/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/161/7/34/1) TimeStamp: -57.5 +/- -1  
(0/161/7/34/1) -> [(-1/20/2/46/2)]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/161/7/39/1) TimeStamp: -82.5 +/- -1  
(0/161/7/39/1) -> [(-1/23/2/64/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/161/7/42/1) TimeStamp: -45 +/- -1  
(0/161/7/42/1) -> [(-1/32/2/7/2)]-E- Timestamp -145 below lower bound 0  
EntryNr of Data: (0/164/7/3/1) TimeStamp: -145 +/- -1

(0/164/7/3/1) -> [(-1/4/2/8/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/164/7/7/1) TimeStamp: -57.5 +/- -1  
(0/164/7/7/1) -> [(-1/4/2/36/2) ]-E- Timestamp -145 below lower bound 0  
EntryNr of Data: (0/164/7/21/1) TimeStamp: -145 +/- -1  
(0/164/7/21/1) -> [(-1/13/2/32/2) ]-E- Timestamp -145 below lower bound 0  
EntryNr of Data: (0/164/7/53/1) TimeStamp: -145 +/- -1  
(0/164/7/53/1) -> [(-1/0/2/16/2) (-1/24/2/21/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/164/7/59/1) TimeStamp: -32.5 +/- -1  
(0/164/7/59/1) -> [(-1/27/2/40/2) ]-E- Timestamp -36.8194 below lower bound 0  
EntryNr of Data: (0/164/7/71/1) TimeStamp: -36.8194 +/- -1  
(0/164/7/71/1) -> [(-1/35/2/25/2) ]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/167/7/10/1) TimeStamp: -182.5 +/- -1  
(0/167/7/10/1) -> [(-1/7/2/60/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/167/7/21/1) TimeStamp: -57.5 +/- -1  
(0/167/7/21/1) -> [(-1/11/2/21/2) ]-E- Timestamp -132.5 below lower bound 0  
EntryNr of Data: (0/167/7/27/1) TimeStamp: -132.5 +/- -1  
(0/167/7/27/1) -> [(-1/16/2/17/2) ]-E- Timestamp -170 below lower bound 0  
EntryNr of Data: (0/167/7/36/1) TimeStamp: -170 +/- -1  
(0/167/7/36/1) -> [(-1/0/2/45/2) (-1/28/2/11/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/167/7/53/1) TimeStamp: -57.5 +/- -1  
(0/167/7/53/1) -> [(-1/4/2/20/2) ]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/167/7/62/1) TimeStamp: -182.5 +/- -1  
(0/167/7/62/1) -> [(-1/6/2/48/2) ]-E- Timestamp -107.5 below lower bound 0  
EntryNr of Data: (0/167/7/63/1) TimeStamp: -107.5 +/- -1  
(0/167/7/63/1) -> [(-1/6/2/48/2) ]-E- Timestamp -132.5 below lower bound 0  
EntryNr of Data: (0/167/7/66/1) TimeStamp: -132.5 +/- -1  
(0/167/7/66/1) -> [(-1/8/2/42/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/167/7/69/1) TimeStamp: -57.5 +/- -1  
(0/167/7/69/1) -> [(-1/10/2/20/2) ]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/167/7/85/1) TimeStamp: -82.5 +/- -1  
(0/167/7/85/1) -> [(-1/25/2/42/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/170/7/14/1) TimeStamp: -57.5 +/- -1  
(0/170/7/14/1) -> [(-1/17/2/23/2) (-1/19/2/25/2) ]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/170/7/38/1) TimeStamp: -20 +/- -1  
(0/170/7/38/1) -> [(-1/33/2/41/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/170/7/44/1) TimeStamp: -32.5 +/- -1  
(0/170/7/44/1) -> [(-1/36/2/44/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/170/7/46/1) TimeStamp: -32.5 +/- -1  
(0/170/7/46/1) -> [(-1/36/2/52/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/172/7/0/1) TimeStamp: -57.5 +/- -1  
(0/172/7/0/1) -> [(-1/2/2/11/2) ]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/172/7/4/1) TimeStamp: -157.5 +/- -1  
(0/172/7/4/1) -> [(-1/4/2/22/2) ]-E- Timestamp -107.5 below lower bound 0  
EntryNr of Data: (0/172/7/30/1) TimeStamp: -107.5 +/- -1  
(0/172/7/30/1) -> [(-1/14/2/35/2) ]-E- Timestamp -70 below lower bound 0  
EntryNr of Data: (0/172/7/37/1) TimeStamp: -70 +/- -1  
(0/172/7/37/1) -> [(-1/18/2/58/2) ]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/172/7/42/1) TimeStamp: -82.5 +/- -1  
(0/172/7/42/1) -> [(-1/24/2/15/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/172/7/45/1) TimeStamp: -32.5 +/- -1  
(0/172/7/45/1) -> [(-1/25/2/41/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/172/7/50/1) TimeStamp: -32.5 +/- -1

(0/172/7/50/1) -> [(-1/27/2/37/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/172/7/56/1) TimeStamp: -32.5 +/- -1  
 (0/172/7/56/1) -> [(-1/35/2/1/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/172/7/89/1) TimeStamp: -20 +/- -1  
 (0/172/7/89/1) -> [(-1/16/2/30/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/172/7/96/1) TimeStamp: -20 +/- -1  
 (0/172/7/96/1) -> [(-1/27/2/3/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/172/7/103/1) TimeStamp: -45 +/- -1  
 (0/172/7/103/1) -> [(-1/33/2/14/2)]-E- Timestamp -145 below lower bound 0  
 EntryNr of Data: (0/173/7/0/1) TimeStamp: -145 +/- -1  
 (0/173/7/0/1) -> [(-1/2/2/6/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/173/7/45/1) TimeStamp: -45 +/- -1  
 (0/173/7/45/1) -> [(-1/32/2/10/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/173/7/51/1) TimeStamp: -45 +/- -1  
 (0/173/7/51/1) -> [(-1/37/2/45/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/173/7/91/1) TimeStamp: -20 +/- -1  
 (0/173/7/91/1) -> [(-1/13/2/37/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/173/7/104/1) TimeStamp: -20 +/- -1  
 (0/173/7/104/1) -> [(-1/20/2/8/2)]-E- Timestamp -107.5 below lower bound 0  
 EntryNr of Data: (0/173/7/114/1) TimeStamp: -107.5 +/- -1  
 (0/173/7/114/1) -> [(-1/0/2/8/2) (-1/24/2/17/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/173/7/138/1) TimeStamp: -32.5 +/- -1  
 (0/173/7/138/1) -> [(-1/32/2/36/2) (-1/33/2/0/2)]-E- Timestamp -95 below lower bound 0  
 EntryNr of Data: (0/179/7/16/1) TimeStamp: -95 +/- -1  
 (0/179/7/16/1) -> [(-1/21/2/24/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/179/7/19/1) TimeStamp: -45 +/- -1  
 (0/179/7/19/1) -> [(-1/24/2/44/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/179/7/31/1) TimeStamp: -45 +/- -1  
 (0/179/7/31/1) -> [(-1/30/2/47/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/179/7/33/1) TimeStamp: -45 +/- -1  
 (0/179/7/33/1) -> [(-1/30/2/51/2)]-E- Timestamp -82.5 below lower bound 0  
 EntryNr of Data: (0/179/7/36/1) TimeStamp: -82.5 +/- -1  
 (0/179/7/36/1) -> [(-1/5/2/25/2) (-1/32/2/31/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/179/7/58/1) TimeStamp: -20 +/- -1  
 (0/179/7/58/1) -> [(-1/42/2/45/2)]-E- Timestamp -54.3497 below lower bound 0  
 EntryNr of Data: (0/179/7/65/1) TimeStamp: -54.3497 +/- -1  
 (0/179/7/65/1) -> [(-1/17/2/41/2) (-1/19/2/44/2) (-1/43/2/46/2)]-E- Timestamp -120 below lower bound 0  
 EntryNr of Data: (0/180/7/31/1) TimeStamp: -120 +/- -1  
 (0/180/7/31/1) -> [(-1/17/2/13/2) (-1/33/2/19/2)]-E- Timestamp -57.5 below lower bound 0  
 EntryNr of Data: (0/184/7/13/1) TimeStamp: -57.5 +/- -1  
 (0/184/7/13/1) -> [(-1/23/2/9/2)]-E- Timestamp -157.5 below lower bound 0  
 EntryNr of Data: (0/184/7/18/1) TimeStamp: -157.5 +/- -1  
 (0/184/7/18/1) -> [(-1/0/2/39/2) (-1/28/2/5/2)]-E- Timestamp -7.5 below lower bound 0  
 EntryNr of Data: (0/184/7/73/1) TimeStamp: -7.5 +/- -1  
 (0/184/7/73/1) -> [(-1/41/2/18/2) (-1/50/2/49/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/187/7/37/1) TimeStamp: -20 +/- -1  
 (0/187/7/37/1) -> [(-1/41/2/4/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/188/7/96/1) TimeStamp: -32.5 +/- -1  
 (0/188/7/96/1) -> [(-1/17/2/11/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/188/7/101/1) TimeStamp: -32.5 +/- -1  
 (0/188/7/101/1) -> [(-1/26/2/29/2)]-E- Timestamp -70 below lower bound 0



EntryNr of Data: (0/188/7/126/1) TimeStamp: -70 +/- -1  
(0/188/7/126/1) -> [(-1/1/2/2/2) (-1/29/2/28/2) (-1/36/2/17/2) ]-E- Timestamp -57.5 below lower bound 0

EntryNr of Data: (0/190/7/3/1) TimeStamp: -57.5 +/- -1  
(0/190/7/3/1) -> [(-1/21/2/19/2) ]-E- Timestamp -57.5 below lower bound 0

EntryNr of Data: (0/190/7/33/1) TimeStamp: -57.5 +/- -1  
(0/190/7/33/1) -> [(-1/17/2/26/2) (-1/43/2/32/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/190/7/54/1) TimeStamp: -32.5 +/- -1  
(0/190/7/54/1) -> [(-1/7/2/56/2) (-1/50/2/52/2) ]-E- Timestamp -145 below lower bound 0

EntryNr of Data: (0/190/7/94/1) TimeStamp: -145 +/- -1  
(0/190/7/94/1) -> [(-1/4/2/6/2) (-1/69/2/21/2) ]-E- Timestamp -7.5 below lower bound 0

EntryNr of Data: (0/192/7/19/1) TimeStamp: -7.5 +/- -1  
(0/192/7/19/1) -> [(-1/34/2/47/2) (-1/37/2/17/2) ]-E- Timestamp -7.5 below lower bound 0

EntryNr of Data: (0/193/7/8/1) TimeStamp: -7.5 +/- -1  
(0/193/7/8/1) -> [(-1/35/2/16/2) ]-E- Timestamp -57.5 below lower bound 0

EntryNr of Data: (0/193/7/28/1) TimeStamp: -57.5 +/- -1  
(0/193/7/28/1) -> [(-1/0/2/27/2) (-1/48/2/25/2) ]-E- Timestamp -20 below lower bound 0

EntryNr of Data: (0/196/7/48/1) TimeStamp: -20 +/- -1  
(0/196/7/48/1) -> [(-1/37/2/32/2) (-1/53/2/52/2) ]-E- Timestamp -195 below lower bound 0

EntryNr of Data: (0/196/7/88/1) TimeStamp: -195 +/- -1  
(0/196/7/88/1) -> [(-1/1/2/47/2) (-1/79/2/20/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/199/7/11/1) TimeStamp: -32.5 +/- -1  
(0/199/7/11/1) -> [(-1/40/2/46/2) ]-E- Timestamp -57.5 below lower bound 0

EntryNr of Data: (0/199/7/20/1) TimeStamp: -57.5 +/- -1  
(0/199/7/20/1) -> [(-1/8/2/17/2) (-1/19/2/36/2) (-1/22/2/36/2) (-1/43/2/39/2) ]-E- Timestamp -195 below lower bound 0

EntryNr of Data: (0/201/7/0/1) TimeStamp: -195 +/- -1  
(0/201/7/0/1) -> [(-1/2/2/40/2) ]-E- Timestamp -20 below lower bound 0

EntryNr of Data: (0/201/7/18/1) TimeStamp: -20 +/- -1  
(0/201/7/18/1) -> [(-1/30/2/17/2) ]-E- Timestamp -20 below lower bound 0

EntryNr of Data: (0/201/7/29/1) TimeStamp: -20 +/- -1  
(0/201/7/29/1) -> [(-1/41/2/6/2) ]-E- Timestamp -45 below lower bound 0

EntryNr of Data: (0/205/7/0/1) TimeStamp: -45 +/- -1  
(0/205/7/0/1) -> [(-1/7/2/12/2) ]-E- Timestamp -120 below lower bound 0

EntryNr of Data: (0/205/7/68/1) TimeStamp: -120 +/- -1  
(0/205/7/68/1) -> [(-1/3/2/51/2) (-1/85/2/32/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/206/7/5/1) TimeStamp: -32.5 +/- -1  
(0/206/7/5/1) -> [(-1/33/2/8/2) ]-E- Timestamp -32.5 below lower bound 0

EntryNr of Data: (0/207/7/4/1) TimeStamp: -32.5 +/- -1  
(0/207/7/4/1) -> [(-1/17/2/5/2) ]-E- Timestamp -95 below lower bound 0

EntryNr of Data: (0/207/7/6/1) TimeStamp: -95 +/- -1  
(0/207/7/6/1) -> [(-1/19/2/39/2) (-1/22/2/39/2) ]-E- Timestamp -45 below lower bound 0

EntryNr of Data: (0/207/7/8/1) TimeStamp: -45 +/- -1  
(0/207/7/8/1) -> [(-1/23/2/7/2) ]-E- Timestamp -82.5 below lower bound 0

EntryNr of Data: (0/207/7/57/1) TimeStamp: -82.5 +/- -1  
(0/207/7/57/1) -> [(-1/6/2/15/2) (-1/77/2/44/2) ]-E- Timestamp -20 below lower bound 0

EntryNr of Data: (0/207/7/79/1) TimeStamp: -20 +/- -1  
(0/207/7/79/1) -> [(-1/9/2/50/2) (-1/90/2/46/2) ]-E- Timestamp -107.5 below lower bound 0

EntryNr of Data: (0/215/7/23/1) TimeStamp: -107.5 +/- -1  
(0/215/7/23/1) -> [(-1/10/2/41/2) (-1/30/2/0/2) (-1/63/2/23/2) ]-E- Timestamp -157.5 below lower bound 0

EntryNr of Data: (0/215/7/48/1) TimeStamp: -157.5 +/- -1

(0/215/7/48/1) -> [(-1/5/2/6/2) (-1/74/2/15/2)]-E- Timestamp -207.5 below lower bound 0  
 EntryNr of Data: (0/221/7/8/1) TimeStamp: -207.5 +/- -1  
 (0/221/7/8/1) -> [(-1/0/2/9/2) (-1/57/2/10/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/221/7/49/1) TimeStamp: -45 +/- -1  
 (0/221/7/49/1) -> [(-1/14/2/40/2) (-1/97/2/36/2)]-E- Timestamp -70 below lower bound 0  
 EntryNr of Data: (0/226/7/8/1) TimeStamp: -70 +/- -1  
 (0/226/7/8/1) -> [(-1/17/2/36/2) (-1/43/2/42/2)]-E- Timestamp -95 below lower bound 0  
 EntryNr of Data: (0/226/7/21/1) TimeStamp: -95 +/- -1  
 (0/226/7/21/1) -> [(-1/16/2/37/2) (-1/71/2/46/2)]-E- Timestamp -45 below lower bound 0  
 EntryNr of Data: (0/237/7/1/1) TimeStamp: -45 +/- -1  
 (0/237/7/1/1) -> [(-1/31/2/12/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/237/7/12/1) TimeStamp: -32.5 +/- -1  
 (0/237/7/12/1) -> [(-1/32/2/33/2) (-1/63/2/16/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/245/7/10/1) TimeStamp: -20 +/- -1  
 (0/245/7/10/1) -> [(-1/42/2/48/2)]-E- Timestamp -7.5 below lower bound 0  
 EntryNr of Data: (0/245/7/207/1) TimeStamp: -7.5 +/- -1  
 (0/245/7/207/1) -> [(-1/45/2/22/2) (-1/120/2/14/2)]-E- Timestamp -95 below lower bound 0  
 EntryNr of Data: (0/248/7/22/1) TimeStamp: -95 +/- -1  
 (0/248/7/22/1) -> [(-1/2/2/1/2) (-1/56/2/12/2) (-1/97/2/20/2) (-1/101/2/26/2)]-E- Timestamp  
 -157.5 below lower bound 0  
 EntryNr of Data: (0/253/7/10/1) TimeStamp: -157.5 +/- -1  
 (0/253/7/10/1) -> [(-1/9/2/39/2) (-1/90/2/36/2)]-E- Timestamp -82.5 below lower bound 0  
 EntryNr of Data: (0/253/7/11/1) TimeStamp: -82.5 +/- -1  
 (0/253/7/11/1) -> [(-1/9/2/39/2) (-1/90/2/36/2)]-E- Timestamp -107.5 below lower bound 0  
 EntryNr of Data: (0/256/7/4/1) TimeStamp: -107.5 +/- -1  
 (0/256/7/4/1) -> [(-1/18/2/1/2) (-1/71/2/41/2)]-E- Timestamp -182.5 below lower bound 0  
 EntryNr of Data: (0/256/7/11/1) TimeStamp: -182.5 +/- -1  
 (0/256/7/11/1) -> [(-1/7/2/17/2) (-1/88/2/21/2)]-E- Timestamp -20 below lower bound 0  
 EntryNr of Data: (0/256/7/49/1) TimeStamp: -20 +/- -1  
 (0/256/7/49/1) -> [(-1/40/2/5/2) (-1/118/2/5/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/259/7/21/1) TimeStamp: -32.5 +/- -1  
 (0/259/7/21/1) -> [(-1/9/2/35/2) (-1/90/2/33/2)]-E- Timestamp -132.5 below lower bound 0  
 EntryNr of Data: (0/263/7/94/1) TimeStamp: -132.5 +/- -1  
 (0/263/7/94/1) -> [(-1/11/2/2/2) (-1/146/2/2/2)]-E- Timestamp -182.5 below lower bound 0  
 EntryNr of Data: (0/267/7/45/1) TimeStamp: -182.5 +/- -1  
 (0/267/7/45/1) -> [(-1/2/2/0/2) (-1/101/2/25/2) (-1/128/2/2/2)]-E- Timestamp -95 below lower  
 bound 0  
 EntryNr of Data: (0/267/7/62/1) TimeStamp: -95 +/- -1  
 (0/267/7/62/1) -> [(-1/9/2/4/2) (-1/62/2/7/2) (-1/141/2/10/2)]-E- Timestamp -107.5 below lower  
 bound 0  
 EntryNr of Data: (0/270/7/19/1) TimeStamp: -107.5 +/- -1  
 (0/270/7/19/1) -> [(-1/14/2/18/2) (-1/105/2/12/2)]-E- Timestamp -70 below lower bound 0  
 EntryNr of Data: (0/276/7/62/1) TimeStamp: -70 +/- -1  
 (0/276/7/62/1) -> [(-1/8/2/11/2) (-1/17/2/28/2) (-1/19/2/30/2) (-1/22/2/32/2) (-1/43/2/34/2)  
 (-1/158/2/55/2)]-E- Timestamp -32.5 below lower bound 0  
 EntryNr of Data: (0/277/7/1/1) TimeStamp: -32.5 +/- -1  
 (0/277/7/1/1) -> [(-1/6/2/17/2) (-1/77/2/46/2)]-E- Timestamp -145 below lower bound 0  
 EntryNr of Data: (0/277/7/54/1) TimeStamp: -145 +/- -1  
 (0/277/7/54/1) -> [(-1/3/2/10/2) (-1/64/2/50/2) (-1/80/2/61/2) (-1/122/2/56/2)]-E- Timestamp -45  
 below lower bound 0  
 EntryNr of Data: (0/277/7/59/1) TimeStamp: -45 +/- -1  
 (0/277/7/59/1) -> [(-1/10/2/42/2) (-1/34/2/28/2) (-1/126/2/25/2)]-E- Timestamp -145 below lower

bound 0  
EntryNr of Data: (0/277/7/92/1) TimeStamp: -145 +/- -1  
(0/277/7/92/1) -> [(-1/12/2/39/2) (-1/96/2/26/2) (-1/135/2/20/2)]-E- Timestamp -7.5 below lower bound 0  
bound 0  
EntryNr of Data: (0/277/7/105/1) TimeStamp: -7.5 +/- -1  
(0/277/7/105/1) -> [(-1/33/2/7/2) (-1/60/2/26/2) (-1/150/2/29/2)]-E- Timestamp -170 below lower bound 0  
bound 0  
EntryNr of Data: (0/281/7/3/1) TimeStamp: -170 +/- -1  
(0/281/7/3/1) -> [(-1/3/2/21/2) (-1/85/2/21/2)]-E- Timestamp -170 below lower bound 0  
EntryNr of Data: (0/281/7/50/1) TimeStamp: -170 +/- -1  
(0/281/7/50/1) -> [(-1/0/2/29/2) (-1/57/2/22/2) (-1/61/2/6/2) (-1/134/2/4/2)]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/281/7/91/1) TimeStamp: -182.5 +/- -1  
(0/281/7/91/1) -> [(-1/3/2/39/2) (-1/6/2/0/2) (-1/56/2/15/2) (-1/85/2/29/2) (-1/165/2/47/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/286/7/8/1) TimeStamp: -7.5 +/- -1  
(0/286/7/8/1) -> [(-1/34/2/23/2) (-1/111/2/18/2)]-E- Timestamp -170 below lower bound 0  
EntryNr of Data: (0/286/7/71/1) TimeStamp: -170 +/- -1  
(0/286/7/71/1) -> [(-1/8/2/19/2) (-1/159/2/38/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/289/7/125/1) TimeStamp: -157.5 +/- -1  
(0/289/7/125/1) -> [(-1/8/2/14/2) (-1/104/2/33/2) (-1/159/2/35/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/291/7/14/1) TimeStamp: -32.5 +/- -1  
(0/291/7/14/1) -> [(-1/18/2/31/2) (-1/64/2/47/2) (-1/66/2/42/2) (-1/80/2/58/2) (-1/122/2/53/2)]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/291/7/159/1) TimeStamp: -182.5 +/- -1  
(0/291/7/159/1) -> [(-1/0/2/60/2) (-1/28/2/27/2) (-1/131/2/1/2) (-1/155/2/28/2)]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/297/7/95/1) TimeStamp: -82.5 +/- -1  
(0/297/7/95/1) -> [(-1/6/2/6/2) (-1/77/2/34/2) (-1/165/2/51/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/299/7/14/1) TimeStamp: -95 +/- -1  
(0/299/7/14/1) -> [(-1/24/2/2/2) (-1/117/2/12/2)]-E- Timestamp -207.5 below lower bound 0  
EntryNr of Data: (0/300/7/38/1) TimeStamp: -207.5 +/- -1  
(0/300/7/38/1) -> [(-1/0/2/61/2) (-1/18/2/3/2) (-1/155/2/29/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/301/7/30/1) TimeStamp: -45 +/- -1  
(0/301/7/30/1) -> [(-1/27/2/18/2) (-1/149/2/38/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/301/7/84/1) TimeStamp: -45 +/- -1  
(0/301/7/84/1) -> [(-1/16/2/42/2) (-1/71/2/51/2) (-1/169/2/24/2)]-E- Timestamp -107.5 below lower bound 0  
EntryNr of Data: (0/302/7/57/1) TimeStamp: -107.5 +/- -1  
(0/302/7/57/1) -> [(-1/18/2/17/2) (-1/169/2/36/2)]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/303/7/71/1) TimeStamp: -20 +/- -1  
(0/303/7/71/1) -> [(-1/16/2/44/2) (-1/130/2/18/2) (-1/169/2/25/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/303/7/100/1) TimeStamp: -45 +/- -1  
(0/303/7/100/1) -> [(-1/33/2/31/2) (-1/185/2/51/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/309/7/35/1) TimeStamp: -45 +/- -1  
(0/309/7/35/1) -> [(-1/32/2/35/2) (-1/122/2/27/2) (-1/169/2/44/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/310/7/39/1) TimeStamp: -95 +/- -1

(0/310/7/39/1) -> [(-1/21/2/3/2) (-1/102/2/11/2) (-1/118/2/10/2) (-1/167/2/18/2) ]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/316/7/106/1) TimeStamp: -182.5 +/- -1  
(0/316/7/106/1) -> [(-1/1/2/35/2) (-1/28/2/13/2) (-1/72/2/1/2) (-1/106/2/10/2) (-1/155/2/11/2) (-1/166/2/36/2) ]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/327/7/69/1) TimeStamp: -82.5 +/- -1  
(0/327/7/69/1) -> [(-1/12/2/14/2) (-1/46/2/9/2) (-1/178/2/3/2) ]-E- Timestamp -170 below lower bound 0  
EntryNr of Data: (0/331/7/19/1) TimeStamp: -170 +/- -1  
(0/331/7/19/1) -> [(-1/8/2/21/2) (-1/159/2/41/2) ]-E- Timestamp -132.5 below lower bound 0  
EntryNr of Data: (0/333/7/9/1) TimeStamp: -132.5 +/- -1  
(0/333/7/9/1) -> [(-1/14/2/4/2) (-1/165/2/6/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/337/7/63/1) TimeStamp: -32.5 +/- -1  
(0/337/7/63/1) -> [(-1/2/2/21/2) (-1/58/2/37/2) (-1/101/2/40/2) (-1/128/2/16/2) (-1/190/2/23/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/343/7/63/1) TimeStamp: -32.5 +/- -1  
(0/343/7/63/1) -> [(-1/39/2/37/2) (-1/81/2/16/2) (-1/200/2/24/2) ]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/343/7/91/1) TimeStamp: -45 +/- -1  
(0/343/7/91/1) -> [(-1/34/2/34/2) (-1/51/2/30/2) (-1/131/2/8/2) (-1/214/2/42/2) ]-E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/347/7/115/1) TimeStamp: -82.5 +/- -1  
(0/347/7/115/1) -> [(-1/19/2/12/2) (-1/34/2/14/2) (-1/100/2/25/2) (-1/132/2/18/2) (-1/232/2/27/2) ]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/352/7/101/1) TimeStamp: -95 +/- -1  
(0/352/7/101/1) -> [(-1/22/2/26/2) (-1/135/2/42/2) (-1/214/2/53/2) ]-E- Timestamp -145 below lower bound 0  
EntryNr of Data: (0/356/7/94/1) TimeStamp: -145 +/- -1  
(0/356/7/94/1) -> [(-1/12/2/11/2) (-1/46/2/7/2) (-1/143/2/12/2) (-1/223/2/12/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/359/7/102/1) TimeStamp: -57.5 +/- -1  
(0/359/7/102/1) -> [(-1/12/2/6/2) (-1/38/2/11/2) (-1/143/2/7/2) (-1/223/2/8/2) ]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/366/7/72/1) TimeStamp: -57.5 +/- -1  
(0/366/7/72/1) -> [(-1/18/2/33/2) (-1/80/2/60/2) (-1/203/2/21/2) (-1/217/2/30/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/380/7/52/1) TimeStamp: -32.5 +/- -1  
(0/380/7/52/1) -> [(-1/38/2/3/2) (-1/46/2/1/2) (-1/143/2/0/2) (-1/223/2/2/2) ]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/385/7/66/1) TimeStamp: -45 +/- -1  
(0/385/7/66/1) -> [(-1/2/2/17/2) (-1/128/2/13/2) (-1/190/2/21/2) (-1/232/2/44/2) ]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/393/7/25/1) TimeStamp: -20 +/- -1  
(0/393/7/25/1) -> [(-1/18/2/46/2) (-1/122/2/60/2) (-1/217/2/37/2) ]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/395/7/8/1) TimeStamp: -32.5 +/- -1  
(0/395/7/8/1) -> [(-1/39/2/32/2) (-1/96/2/20/2) (-1/135/2/13/2) (-1/200/2/19/2) ]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/395/7/59/1) TimeStamp: -182.5 +/- -1  
(0/395/7/59/1) -> [(-1/5/2/32/2) (-1/11/2/39/2) (-1/89/2/17/2) (-1/206/2/37/2) (-1/230/2/24/2) ]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/402/7/237/1) TimeStamp: -95 +/- -1



(0/402/7/237/1) -> [(-1/23/2/50/2) (-1/70/2/16/2) (-1/135/2/28/2) (-1/214/2/37/2) (-1/222/2/18/2) (-1/257/2/24/2)]-E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/402/7/306/1) TimeStamp: -20 +/- -1  
(0/402/7/306/1) -> [(-1/2/2/36/2) (-1/158/2/35/2) (-1/269/2/31/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/404/7/7/1) TimeStamp: -45 +/- -1  
(0/404/7/7/1) -> [(-1/22/2/16/2) (-1/23/2/52/2) (-1/34/2/33/2) (-1/54/2/22/2) (-1/135/2/30/2) (-1/214/2/39/2) (-1/222/2/19/2)]-E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/411/7/23/1) TimeStamp: -95 +/- -1  
(0/411/7/23/1) -> [(-1/5/2/22/2) (-1/74/2/33/2) (-1/89/2/6/2) (-1/145/2/10/2) (-1/230/2/17/2) (-1/241/2/19/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/416/7/251/1) TimeStamp: -7.5 +/- -1  
(0/416/7/251/1) -> [(-1/39/2/20/2) (-1/55/2/21/2) (-1/66/2/12/2) (-1/87/2/5/2) (-1/104/2/14/2) (-1/281/2/3/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/418/7/23/1) TimeStamp: -45 +/- -1  
(0/418/7/23/1) -> [(-1/18/2/57/2) (-1/153/2/51/2) (-1/248/2/37/2)]-E- Timestamp -107.5 below lower bound 0  
EntryNr of Data: (0/418/7/35/1) TimeStamp: -107.5 +/- -1  
(0/418/7/35/1) -> [(-1/10/2/3/2) (-1/43/2/3/2) (-1/124/2/4/2) (-1/163/2/18/2) (-1/171/2/10/2) (-1/252/2/11/2)]-E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/418/7/107/1) TimeStamp: -32.5 +/- -1  
(0/418/7/107/1) -> [(-1/12/2/10/2) (-1/37/2/10/2) (-1/146/2/22/2) (-1/267/2/13/2) (-1/282/2/8/2)]-E- Timestamp -107.5 below lower bound 0  
EntryNr of Data: (0/419/7/147/1) TimeStamp: -107.5 +/- -1  
(0/419/7/147/1) -> [(-1/12/2/4/2) (-1/37/2/5/2) (-1/38/2/5/2) (-1/46/2/2/2) (-1/143/2/3/2) (-1/178/2/0/2) (-1/206/2/4/2) (-1/295/2/7/2)]-E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/430/7/3/1) TimeStamp: -57.5 +/- -1  
(0/430/7/3/1) -> [(-1/22/2/10/2) (-1/23/2/44/2) (-1/149/2/26/2) (-1/152/2/41/2) (-1/214/2/32/2) (-1/222/2/14/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/430/7/109/1) TimeStamp: -157.5 +/- -1  
(0/430/7/109/1) -> [(-1/10/2/14/2) (-1/43/2/15/2) (-1/124/2/14/2) (-1/153/2/1/2) (-1/171/2/31/2) (-1/252/2/23/2) (-1/283/2/25/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/436/7/71/1) TimeStamp: -7.5 +/- -1  
(0/436/7/71/1) -> [(-1/28/2/55/2) (-1/131/2/25/2) (-1/169/2/47/2) (-1/293/2/30/2)]-E- Timestamp -132.5 below lower bound 0  
EntryNr of Data: (0/439/7/73/1) TimeStamp: -132.5 +/- -1  
(0/439/7/73/1) -> [(-1/6/2/39/2) (-1/161/2/47/2) (-1/208/2/53/2) (-1/309/2/23/2)]-E- Timestamp -157.5 below lower bound 0  
EntryNr of Data: (0/439/7/79/1) TimeStamp: -157.5 +/- -1  
(0/439/7/79/1) -> [(-1/1/2/23/2) (-1/28/2/6/2) (-1/36/2/32/2) (-1/166/2/32/2) (-1/292/2/11/2) (-1/310/2/15/2)]-E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/459/7/77/1) TimeStamp: -45 +/- -1  
(0/459/7/77/1) -> [(-1/33/2/3/2) (-1/84/2/11/2) (-1/139/2/3/2) (-1/219/2/27/2) (-1/308/2/48/2)]-E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/467/7/32/1) TimeStamp: -182.5 +/- -1  
(0/467/7/32/1) -> [(-1/0/2/37/2) (-1/28/2/3/2) (-1/155/2/4/2) (-1/253/2/11/2) (-1/310/2/14/2)]-E- Timestamp -99.8654 below lower bound 0  
EntryNr of Data: (0/481/7/55/1) TimeStamp: -99.8654 +/- -1  
(0/481/7/55/1) -> [(-1/19/2/1/2) (-1/100/2/12/2) (-1/169/2/14/2) (-1/243/2/2/2) (-1/319/2/21/2) (-1/337/2/20/2)]-E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/487/7/65/1) TimeStamp: -7.5 +/- -1  
(0/487/7/65/1) -> [(-1/22/2/25/2) (-1/135/2/40/2) (-1/214/2/51/2) (-1/222/2/25/2) (-1/350/2/45/2)]



]E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/505/7/8/1) TimeStamp: -45 +/- -1  
(0/505/7/8/1) -> [(-1/2/2/48/2) (-1/158/2/47/2) (-1/269/2/44/2) (-1/301/2/22/2) (-1/354/2/36/2)]

]E- Timestamp -121.78 below lower bound 0  
EntryNr of Data: (0/508/7/115/1) TimeStamp: -121.78 +/- -1  
(0/508/7/115/1) -> [(-1/1/2/46/2) (-1/125/2/44/2) (-1/233/2/14/2) (-1/254/2/27/2) (-1/256/2/8/2) (-1/287/2/52/2) (-1/382/2/25/2)]

]E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/513/7/157/1) TimeStamp: -7.5 +/- -1  
(0/513/7/157/1) -> [(-1/42/2/11/2) (-1/76/2/11/2) (-1/136/2/29/2) (-1/144/2/8/2) (-1/255/2/18/2) (-1/283/2/31/2) (-1/329/2/15/2) (-1/396/2/3/2)]

]E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/524/7/66/1) TimeStamp: -95 +/- -1  
(0/524/7/66/1) -> [(-1/1/2/43/2) (-1/114/2/1/2) (-1/125/2/40/2) (-1/254/2/17/2) (-1/256/2/5/2) (-1/382/2/15/2)]

]E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/543/7/29/1) TimeStamp: -57.5 +/- -1  
(0/543/7/29/1) -> [(-1/1/2/15/2) (-1/106/2/3/2) (-1/147/2/8/2) (-1/292/2/7/2) (-1/334/2/3/2) (-1/391/2/15/2)]

]E- Timestamp -82.5 below lower bound 0  
EntryNr of Data: (0/580/7/75/1) TimeStamp: -82.5 +/- -1  
(0/580/7/75/1) -> [(-1/13/2/24/2) (-1/138/2/48/2) (-1/251/2/21/2) (-1/268/2/7/2) (-1/323/2/15/2) (-1/435/2/10/2)]

]E- Timestamp -7.5 below lower bound 0  
EntryNr of Data: (0/599/7/54/1) TimeStamp: -7.5 +/- -1  
(0/599/7/54/1) -> [(-1/19/2/40/2) (-1/22/2/40/2) (-1/177/2/56/2) (-1/246/2/14/2) (-1/368/2/58/2) (-1/444/2/32/2)]

]E- Timestamp -182.5 below lower bound 0  
EntryNr of Data: (0/668/7/30/1) TimeStamp: -182.5 +/- -1  
(0/668/7/30/1) -> [(-1/0/2/43/2) (-1/28/2/9/2) (-1/93/2/0/2) (-1/155/2/8/2) (-1/253/2/16/2) (-1/310/2/18/2) (-1/408/2/30/2) (-1/520/2/35/2)]

]E- Timestamp -70 below lower bound 0  
EntryNr of Data: (0/678/7/9/1) TimeStamp: -70 +/- -1  
(0/678/7/9/1) -> [(-1/21/2/9/2) (-1/102/2/13/2) (-1/118/2/15/2) (-1/199/2/31/2) (-1/400/2/10/2) (-1/521/2/26/2)]

]E- Timestamp -20 below lower bound 0  
EntryNr of Data: (0/688/7/0/1) TimeStamp: -20 +/- -1  
(0/688/7/0/1) -> [(-1/0/2/41/2) (-1/28/2/7/2) (-1/166/2/33/2) (-1/253/2/14/2) (-1/310/2/16/2) (-1/413/2/30/2) (-1/503/2/6/2) (-1/520/2/33/2)]

]E- Timestamp -45 below lower bound 0  
EntryNr of Data: (0/712/7/339/1) TimeStamp: -45 +/- -1  
(0/712/7/339/1) -> [(-1/1/2/26/2) (-1/106/2/7/2) (-1/147/2/14/2) (-1/292/2/14/2) (-1/297/2/8/2) (-1/334/2/10/2) (-1/391/2/22/2) (-1/438/2/3/2) (-1/503/2/8/2) (-1/596/2/20/2)]

]E- Timestamp -95 below lower bound 0  
EntryNr of Data: (0/719/7/47/1) TimeStamp: -95 +/- -1  
(0/719/7/47/1) -> [(-1/13/2/9/2) (-1/138/2/29/2) (-1/211/2/37/2) (-1/251/2/5/2) (-1/369/2/17/2) (-1/500/2/12/2) (-1/598/2/5/2)]

]E- Timestamp -132.5 below lower bound 0  
EntryNr of Data: (0/743/7/90/1) TimeStamp: -132.5 +/- -1  
(0/743/7/90/1) -> [(-1/0/2/52/2) (-1/106/2/16/2) (-1/155/2/18/2) (-1/310/2/26/2) (-1/369/2/21/2) (-1/408/2/40/2) (-1/469/2/42/2) (-1/503/2/20/2) (-1/628/2/12/2)]

]E- Timestamp -57.5 below lower bound 0  
EntryNr of Data: (0/771/7/64/1) TimeStamp: -57.5 +/- -1  
(0/771/7/64/1) -> [(-1/29/2/1/2) (-1/45/2/10/2) (-1/175/2/8/2) (-1/248/2/11/2) (-1/387/2/9/2) (-1/407/2/7/2) (-1/568/2/2/2) (-1/572/2/7/2) (-1/649/2/5/2)]

]E- Timestamp -32.5 below lower bound 0  
EntryNr of Data: (0/981/7/115/1) TimeStamp: -32.5 +/- -1  
(0/981/7/115/1) -> [(-1/39/2/27/2) (-1/96/2/13/2) (-1/200/2/12/2) (-1/317/2/21/2) (-1/356/2/18/2) (-1/454/2/13/2) (-1/514/2/34/2) (-1/545/2/7/2) (-1/636/2/15/2) (-1/685/2/21/2) (-1/814/2/24/2) (-1/833/2/53/2)]

]OBJ: PndEmcDigiRingSorter PndEmcDigiRingSorter

Macro finished successfully.  
Output file is gammagamma\_digiTB.root  
Parameter file is simparams\_gammagamma.root  
Real time 11.5313 s, CPU time 11.27 s

What do all these messages mean? What is the error here?

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim  
Posted by [Marcel Tiemens](#) on Fri, 12 Feb 2016 16:26:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I found why it wasn't fixed. I made some changes to some of the base classes (EmcDigi and EmcCluster), and then got too enthusiastic with copying stuff from my previous pandaroot install. I needed the new versions of PndEmcWaveformBuffer.cxx, PndEmcFWEndcapTimebasedWaveforms.cxx, PndEmcFWEndcapDigi.cxx, and PndEmcFullStackedWaveformSimulator.cxx

But for some reason, root creates unreadable root files now. When I click a leaf in the digi file root tree, nothing happens, though tree->GetEntries() tells me there are 100 entries (I ran with 100 events just to test)... Does anyone know what could cause this to happen?

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim  
Posted by [Stefano Spataro](#) on Sat, 13 Feb 2016 22:34:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Maybe there is some condition which is skipping the add of the new elements into the TClonesArray. Do you have only emc TCAs empty, or even for the other detectors? Is the EventHeader empty? In any case, I would suggest to put some cout and check all the conditions.

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim  
Posted by [Marcel Tiemens](#) on Fri, 26 Feb 2016 12:53:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I tried tracing the problem, but I still don't understand what's causing it. As far as I can see, this is where it goes wrong:

PndEmcFWEndcapTimebasedWaveforms puts EmcWaveforms somewhere using FairWriteoutBuffer, but for some reason the next step, PndEmcFWEndcapDigi, has zero entries in its input waveform array.

Hits are converted to waveforms using

(Init)

...

```
// Create and activate output Buffer....choose between PndEmcWaveform and  
PndEmcMultiWaveform
```

```

#ifndef MULTI
    fWaveformBuffer = new PndEmcWaveformBuffer("EmcWaveform", "PndEmcWaveform",
"Emc", fStoreWaves);
#else
    fWaveformBuffer = new PndEmcWaveformBuffer("EmcWaveform",
"PndEmcMultiWaveform", "Emc", fStoreWaves);
#endif

    fWaveformBuffer = (PndEmcWaveformBuffer*) ioman
->RegisterWriteoutBuffer("EmcTimebasedWaveform", fWaveformBuffer);
...etc

```

(Exec)

```

...
// construct corresponding waveform data Object
PndEmcWaveformData wfData(theHit->GetDetectorID(), wfSimulator);

//register hit...timebased framework uses ns, whereas emc deals with seconds as time unit
FairLink linkToHit(-1, ioman->GetEntryNr(), "EmcHit", iHit, 1.0);
wfData.AddHit(linkToHit, ioman->GetEventTime() + theHit->GetTime()*1.0e9,
theHit->GetEnergy());

fWaveformBuffer->FillNewData(&wfData);
...etc

```

, and it looks like the buffer is written out only at the end. The next task tries to make digis out of them using

(Init)

```

...
// Get input array
fWaveformArray = (TClonesArray*) ioman->GetObject("EmcMultiWaveform");
    if (!fWaveformArray) {
        //check if EmcWaveform contains MultiWaveforms
        fWaveformArray = (TClonesArray*) ioman->GetObject("EmcWaveform");
        if(!fWaveformArray) ||
(!fWaveformArray->GetClass()->InheritsFrom("PndEmcMultiWaveform"))){
            cout << "-W- PndEmcFWEndcapDigi::Init: "
            << "No PndEmcWaveform array containing multi waveforms!" << endl;
            return kERROR;
        }
    }
// Create and register output array
fDigiArray = ioman->Register("EmcDigi","PndEmcDigi", "Emc", fStoreDigis);
...etc

```

, but then fWaveformArray->GetEntriesFast() yields zero in the Exec part.

Also, the macros in /macro/run/ return a segmentation violation from PndFileNameCreator:

```

=====
#5 0x00007f74fe344850 in std::basic_ostream<char, std::char_traits<char> >&

```

```
std::operator<< <char, std::char_traits<char>, std::allocator<char> >(std::basic_ostream<char,
std::char_traits<char> >&, std::basic_string<char, std::char_traits<char>, std::allocator<char> >
const&) () from /usr/lib/x86_64-linux-gnu/libstdc++.so.6
#6 0x00007f74ec5c6ce3 in PndFileNameCreator::GetPath (this=0x7ffeea9a6c70) at
/home/marcel/jan16/pandaroot/PndTools/generalTools/PndFileNameCreator.cx x:188
#7 0x00007f74ec5c70a0 in PndFileNameCreator::TruncateFileName (this=0x7ffeea9a6c70,
cut=false) at /home/marcel/jan16/pandaroot/PndTools/generalTools/PndFileNameCreator.cx
x:212
#8 0x00007f74ec5c6910 in PndFileNameCreator::GetCustomFileName (this=0x7ffeea9a6c70,
ext="par", addon="", cut=false) at
/home/marcel/jan16/pandaroot/PndTools/generalTools/PndFileNameCreator.cx x:147
#9 0x00007f74ec5c6121 in PndFileNameCreator::GetParFileName (this=0x7ffeea9a6c70,
addon="", cut=false) at
/home/marcel/jan16/pandaroot/PndTools/generalTools/PndFileNameCreator.cx x:28
#10 0x00007f74e4c30d53 in PndMasterRunSim::Setup (this=0x26529b0) at
/home/marcel/jan16/pandaroot/PndTools/master/PndMasterRunSim.cxx:64
=====
```

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim  
Posted by [Stefano Spataro](#) on Fri, 26 Feb 2016 17:31:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

About macros, if you update the folder you will have the correct macros. There was a wrong commit few weeks ago.

---

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim  
Posted by [Marcel Tiemens](#) on Tue, 08 Mar 2016 11:04:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Yes, the default macros are working now.

In another attempt to fix my problems, which you apparently don't have, I performed svn update and tried to recompile pandaroot completely. It finishes with the following:

```
[100%] Generating ../lib/libCATracking.rootmap
cannot open linkdef file CATrackingLinkDef.h
[100%] Built target libCATracking.rootmap
```

Then, when I try to run the root macros, root gives the following error:  
dlopen error: /home/marcel/jan16/pandaroot/buildPanda/lib/libEmc.so: undefined symbol:  
\_ZN20PndEmcCRRCPulseshape11ShowMembersER16TMemberInspector  
Load Error: Failed to load Dynamic link library  
/home/marcel/jan16/pandaroot/buildPanda/lib/libEmc.so

So, some automatically generated symbol is not defined, apparently in an inherited function in PndEmcCRRCPulseshape. I think I've seen this error before, but don't know how to fix it. Any suggestions?

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Stefano Spataro](#) on Tue, 08 Mar 2016 11:10:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

EMC package has been updated. Are you sure you are using the most recent version? Because the problem you are describing was already fixed few versions ago, check the following link:

<https://subversion.gsi.de/trac/fairroot/changeset?reponame=&new=28934%40pandaroot%2Ftrunk%2Femc&old=28851%40pandaroot%2Ftrunk%2Femc>

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Tue, 08 Mar 2016 12:00:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Ah yes, the EmcLinkDef was not updated; I used my own version because I'm adding a few new classes. Now that I added that one to it as well, it works. I feel a bit emberassed that it was again due to something silly that I did myself... Oh well.

---

Subject: Re: MC Truth propagation with FairLinks in timebased sim

Posted by [Marcel Tiemens](#) on Tue, 08 Mar 2016 16:22:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

But, what I want to test still doesn't work. If I compare with what's done in the default macros, which use PndEmcHitsToWaveform and PndEmcWaveformToDigi, these are the main differences:

1) PndEmcHitsToWaveform uses PndEmcWaveformWriteoutBuffer, and PndEmcFWEndcapTimebasedWaveforms uses PndEmcWaveformBuffer.

2) PndEmcWaveformToDigi uses a functor to get waveforms from a given timeslot in this way: fDigiArray->Delete();

```
Double_t fevtTime = FairRootManager::Instance()->GetEventTime();
```

```
if(fTimeOrderedDigi){
  if(FairRunAna::Instance()->IsTimeStamp()){
    fWaveformArray->Delete();
    Double_t time_length = 40.;//99.98%
    if(fVerbose >0)
      cout<<"--|-- time-based simulation, read data to later #"<<time_length<<" ns"<<endl;
    fWaveformArray = FairRootManager::Instance()->GetData("EmcSortedWaveform"
      , fFunctor
      , fevtTime + time_length);
  }
  if(fVerbose>0)
    std::cout<<"fDigiArrayTBD size
#"<<PndEmcDigi::fDigiArrayTBD->GetEntriesFast()<<std::endl;
}
```



```
Int_t nWaveforms = fWaveformArray->GetEntriesFast();
```

```
...
```

```
while PndEmcFWEndcapDigi just asks for the length of the waveform array right away:  
  fDigiArray->Delete();
```

```
Int_t nWaveforms = fWaveformArray->GetEntriesFast();
```

```
...
```

That could be why it's not working. But the point is, it did work before! But with the new FairRoot and PandaRoot version not anymore...

---