Subject: [Release] Analysis: Rho & PidCandidate Posted by Ralf Kliemt on Fri, 18 Sep 2009 15:14:18 GMT View Forum Message <> Reply to Message

Hello Everybody,

Now it is possible to use Rho directly with the PID output. Here some things to keep in mind:

- You need to use a PID Task (e.g. Ideal MC info available at PndPidIdealAssociatorTask
- You need to load libRho, libAnalysisTools and libPid. Make sure to have them compiled.
- you need to use the PndEventReader on the File from the Pid task.

Feel free to have a look inside the example I attatched. (extract and run like ./go_tpc.sh 10)

Kind regards, Ralf.

File Attachments 1) example.zip, downloaded 293 times

Subject: Re: [Release] Analysis: Rho & PidCandidate Posted by Ralf Kliemt on Tue, 29 Sep 2009 14:21:45 GMT View Forum Message <> Reply to Message

Well,

After the changes of the Geometrys storage and all things in the last time, I updated the example files to work with the current code.

A new analysis macro is there to use a event reader called PndAnalysis which uses the framework. The friend mechanism is working here.

Cheers, Ralf.

File Attachments
1) example.zip, downloaded 276 times

Subject: Re: [Release] Analysis: Rho & PidCandidate Posted by Klaus Götzen on Tue, 29 Sep 2009 15:18:05 GMT View Forum Message <> Reply to Message

Hi Ralf,

nice work, I have to give it a try! The only thing I'm not completely happy with is the name of the new reader PndAnalysis.

The class called like this before (inappropriately) residing in fsim was a class to perform an analysis as a task. I think this you moved to PndAnalysisTask.

Since PndAnalysis is a data-reader I would prefer to have that purpose reflected in the name,

otherwise it might be confusing...

Cheers,

Klaus

Page 2 of 2 ---- Generated from GSI Forum