

---

Subject: [FIXED] DPM

Posted by [Simon Reiter](#) on Wed, 03 Jul 2013 21:38:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi all,

I used DPM generator to get some background statistics. In my analysis script I did n MC match to identify pions correctly. Additionally I checked the MotherID to 88888 (pbarp-system) to know, how many of them decayed in the primary decay. But this check seems not to work as if there is no information stored.

Greetings

Simon

PS: Using Release April '13

---

### File Attachments

1) [10-ana.log](#), downloaded 388 times

2) [anatut\\_psi2s.C](#), downloaded 444 times

---

---

Subject: Re: DPM

Posted by [Stefano Spataro](#) on Thu, 04 Jul 2013 10:13:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Can you please check that in your sim macro you have the following command set to "KTRUE"?

```
EvtGen->SetStoreTree(kTRUE);
```

---

---

Subject: [FIXED] Re: DPM

Posted by [Simon Reiter](#) on Thu, 04 Jul 2013 11:27:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The Tree is stored. I could fix this problem with changing the request of the GetMcMotherIdx. I forgot that DPM does not start its decay with the pbarp. So the McMotherIdx is set to -1 and there is not candidate in the MCTruth list at position -1. Now I request additionally that GetMcMotherIdx() $<0$ .

```
int motherId = mctrk[ TCandidate.GetMcIdx() ].GetMcMotherIdx();  
if(motherId<0 || mctrk[ motherId ].PdgCode()==88888) {...}
```

Sorry for interruption

---